Printing date 03.06.2016

Revision: 03.06.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: <u>Acrylamide/Bis-acrylam</u>ide 30% 37.5:1

· Article number: 20-2100-05

· Registration number

Mixture

Acrylamide: 01-2119463260-48

- 1.2 Relevant identified uses of the substance or mixture and uses advised against Laboratory agent.
- Sector of Use SU24 Scientific research and development
- Product category PC21 Laboratory chemicals
- \cdot Application of the substance / the mixture Reactive monomer solution for the production of polymers.
- \cdot Uses advised against

Any use involving aerosol formation or vapour or dust release in excess of the assigned workplace exposure limits where workers are exposed without suitable respiratory protective equipment (RPE).

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Processes involving the use of incompatible substances - refer to section 10.

Processes involving extreme heat use advised against.

Processes where workers who may be pregnant or breastfeeding could potentially come into direct contact with the product.

The product is intended exclusively for industrial and professional use.

\cdot 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Severn Biotech Ltd. Unit 2, Park Lane, Kidderminster, Worcestershire. DY11 6TJ UK Tel: 0044 1562 825286 Fax: 0044 1562 825284 email: info@severnbiotech.com

• Further information obtainable from: Product safety department.

• 1.4 Emergency telephone number: Tel: 0044 1562 825286 (not 24 hours)

SECTION 2: Hazards identification

 \cdot 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer.

Repr. 2 H361f Suspected of damaging fertility.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

GHS07

Acute Tox. 4	H302	Harmful if swallowed.
Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2	H319	Causes serious eye irritation.
Skin Sens. 1	H317	May cause an allergic skin reaction.

(Contd. on page 2)

GΒ

Printing date 03.06.2016

Revision: 03.06.2016

Trade name: Acrylamide/Bis-acrylamide 30% 37.5:1

	(Contd. of page 1)
2.2 Label elemen	nts
Labelling accord	ling to Regulation (EC) No 1272/2008
	assified and labelled according to the CLP regulation.
	ms GHS07, GHS08
Signal word Dan	ger
	ning components of labelling:
acrylamide	
Hazard statemer	
H302 Harmful if	
H315 Causes ski	
	ious eye irritation.
	e an allergic skin reaction.
H340 May cause	e
H350 May cause	
1	of damaging fertility.
	mage to organs through prolonged or repeated exposure.
Precautionary st	
P260	Do not breathe mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P270	Do not eat, drink or smoke when using this product.
P303+P361+P353	3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
2.3 Other hazard	ds
Results of PBT a	and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous of	components:
----------------	-------------

Dunger ous components.	
CAS: 79-06-1 acrylamide	10-50%
EINECS: 201-173-7 Acute Tox. 3, H301; Muta. 1B, H340; Carc. 1B, H350; Repr. 2, H361 STOT RE 1, H372; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 4 H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	f; 2,
CAS: 110-26-9 N,N-Methylene Bis Acrylamide	<2.5%
EINECS: 203-750-9 (1) Acute Tox. 4, H302	
·SVHC	

79-06-1 acrylamide

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

(Contd. on page 3)

GB

Printing date 03.06.2016

Revision: 03.06.2016

Trade name: Acrylamide/Bis-acrylamide 30% 37.5:1

	(Contd. of page
After inhalation:	
Supply fresh air and to be sure call for a doctor.	
In case of unconsciousness place patient stably in side position for transportation.	
After skin contact:	
DO NOT DELAY!	
Immediately wash with water and soap and rinse thoroughly.	
If skin irritation continues, consult a doctor.	
MAY BE ABSORBED through the skin!	
After eye contact:	
DO NOT DELAY!	
Check for and remove any contact lenses.	
Rinse opened eye for several minutes under running water. If symptoms persist, con	sult a doctor.
After swallowing:	
DO NOT DELAY!	
Rinse out mouth and then drink plenty of water.	
Do not induce vomiting; call for medical help immediately.	
If vomiting occurs spontaneously, keep head below hips to prevent aspiration.	
4.2 Most important symptoms and effects, both acute and delayed	
No further relevant information available.	
Information for doctor:	
Treat symptomatically and supportively.	
No specific antidote.	
As ingestion may cause central and peripheral nervous system depression, do not in	nduce vomitting because
the danger of aspiration.	
4.3 Indication of any immediate medical attention and special treatment needed	d
No further relevant information available.	
SECTION 5: Firefighting measures	
5.1 Extinguishing media	
Suitable extinguishing agents:	<u> </u>
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant	toam.

• 5.2 Special hazards arising from the substance or mixture

Gives off irritating or toxic fumes (or gases) in a fire.

Elevated temperatures or contamination may cause material to polymerise causing a pressure buildup that may violently rupture tanks or containers.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

· Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
Wear protective equipment. Keep unprotected persons away.
6.2 Environmental precautions: Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

 \cdot 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Ensure adequate ventilation.

(Contd. on page 4)

GB

Printing date 03.06.2016

Revision: 03.06.2016

Trade name: Acrylamide/Bis-acrylamide 30% 37.5:1

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Safety showers and eye wash facilities should be available at the work area.

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Never mouth pipette acrylamide solutions.

Take note of assigned workplace exposure limits.

Do NOT take working clothes home. Launder contaminated clothing before reuse.

Safety showers and eye wash fcilities should be available within easy reach of the work areas.

Laboratories should be equiped with suitable exhaust ventilation and fume cupboards.

· Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles:

Prevent any seepage into the ground.

Light sensitive. Store in light-resistant containers. Keep container tightly closed.

Keep container in a cool, well-ventilated area. Do not store above 23 °C (73.4°F). Preferably store in a refrigerator at 4 °C

Keep away from heat sources and direct sunlight. Storage temperatures should be ideally maintained below 4 degs. C.

Heating in an open container may cause loss of oxygen.

Packaged product should be consumed on a first in, first out basis.

· Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from reducing agents.

Store away from metals.

Store away from foodstuffs.

Do not store with chelating agents.

• Further information about storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

79-06-1 acrylamide

WEL Long-term value: 0.3 mg/m³

Carc; Sk

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:


Select PPE appropriate for the operations taking place taking into account the product properties.

(Contd. of page 3)

Printing date 03.06.2016

Revision: 03.06.2016

Trade name: Acrylamide/Bis-acrylamide 30% 37.5:1



(Contd. on page 6)

GB

Printing date 03.06.2016

Revision: 03.06.2016

Trade name: Acrylamide/Bis-acrylamide 30% 37.5:1

(Contd. of page 5)

SECTION 9: Physical and ch	emical properties
• 9.1 Information on basic physical a	ind chemical properties
· General Information	na chemicar properties
· Appearance:	
Form:	Fluid
Colour:	Clear
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	5-8
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density at 20 °C:	1.0-1.7 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Fully miscible.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

The component substances are stable at room temperature but may polymerise violently when heated above 50 $^{\circ}$ C.

· Thermal decomposition / conditions to be avoided:

Elevated temperatures or contamination may cause material to polymerise causing a pressure buildup that may violently rupture tanks or containers.

· 10.3 Possibility of hazardous reactions

Acrylamide is incompatible with reducing agents, copper, aluminium, brass and braoze. Iron or rust may trigger rapid exothermic polymerisation of solutions.

Reacts spontaneously with hydroxyl-, amino-, and sulfhydryl- containing compounds. Reacts vigorously with acids, bases producing ammonia salts and acrylic acid.

^{· 10.2} Chemical stability

Printing date 03.06.2016

Revision: 03.06.2016

Trade name: Acrylamide/Bis-acrylamide 30% 37.5:1

(Contd. of page 6)

Spontaneous polymerisation does not readily occur, but requires the presence of dimethylaminopropionitrile (DMAPN) catalyst and ammonium persulphate. Also, acrylamide may polymerise upon contact with oxidizing materials such as peroxides.

 \cdot 10.4 Conditions to avoid Do not overheat.

• **10.5 Incompatible materials:** Strong acids and oxidising agents Reducing agents.

Finely powdered metals.

• **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide Ammonia Nitrogen oxides (NOx)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- Harmful if swallowed.

· LD/LC50 values relevant for classification:

79-06-1 acrylamide

Oral LD50 177 mg/kg (rat)

Dermal LD50 1141 mg/kg (rat)

110-26-9 N,N-Methylene Bis Acrylamide

Oral LD50 390 mg/kg (rat)

- · Primary irritant effect:
- \cdot Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation
- Causes serious eye irritation.
- \cdot Respiratory or skin sensitisation

May cause an allergic skin reaction.

· Other information (about experimental toxicology):

Acrylamide is readily absorbed by oral, dermal and inhalative routes..

EFFECTS OF SHORT-TERM EXPOSURE: The substance is irritating to the eyes, the skin and the respiratory tract. The substance may cause effects on the central nervous system.

Depending on the degree of exposure, periodic medical examination is suggested.

• Subacute to chronic toxicity:

EFFECTS OF LONG-TERM OR REPEATED EXPOSURE: The substance may have effects on the nervous system, resulting in peripheral nerve damage. This substance is probably carcinogenic to humans. May cause heritable genetic damage in humans.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity

May cause genetic defects.

- · Carcinogenicity
- May cause cancer.
- Reproductive toxicity
- Suspected of damaging fertility.
- \cdot STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure
- Causes damage to organs through prolonged or repeated exposure.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 8)

Printing date 03.06.2016

Revision: 03.06.2016

Trade name: Acrylamide/Bis-acrylamide 30% 37.5:1

(Contd. of page 7)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:
- 79-06-1 acrylamide
- EC50 98 mg/kg (daphnia)
- 12.2 Persistence and degradability Easily biodegradable
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

· 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

- Recommended Hierarchy of Controls:
- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).
- Contact waste processors for recycling information.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

Employees engaged in disposal of acrylamide should be thoroughly trained in effective procedures and protected from any possibility to skin or eye contact or inhalation of dusts, fumes or vapours.

Waste acrylamide monomer and containers that have held acrylamide monomer can be a hazard. Do not let such waste material into municipal waste treatment or landfill operations. Containers must be rinsed thoroughly and then can be disposed by burning in an approved industrial incinerator or buried in an approved landfill.

· European waste catalogue

Waste key numbers in accordance with the European Waste Catalogue (EWC) are origin-referred defined. Since this product is used in several industries, no waste key can be provided by the supplier. The waste key number should be determined in arrangement with your waste disposal partner or the responsible authority.

· Uncleaned packaging:

· Recommendation:

Container remains hazardous when empty. Continue to observe all precuations.

Containers, even those that are "empty," may contain residues that can develop flammable vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

 \cdot Recommended cleansing agents: Water, if necessary together with cleansing agents.

ODODION 1	4 700	• •	. •
SECTION 14	4: Transpor	informa	llon
	in Transport		

· 14.1 UN-Number · ADR, IMDG, IATA

UN3426

(Contd. on page 9)

Printing date 03.06.2016

Revision: 03.06.2016

Trade name: Acrylamide/Bis-acrylamide 30% 37.5:1

	(Contd. of page 8)
• 14.2 UN proper shipping name	
· ADR · IMDG, IATA	3426 ACRYLAMIDE SOLUTION ACRYLAMIDE SOLUTION
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	6.1 Toxic substances.
· Label	6.1
14.4 Packing group	
· ADR, IMDG, IATA	III
 14.5 Environmental hazards: 	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Toxic substances.
· 14.7 Transport in bulk according to Annex II	of
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Tunnel restriction code	E
· UN "Model Regulation":	UN3426, ACRYLAMIDE SOLUTION, 6.1, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 28, 29, 60

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

\cdot Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

79-06-1 acrylamide

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.

(Contd. on page 10)

GB

Printing date 03.06.2016

Revision: 03.06.2016

Trade name: Acrylamide/Bis-acrylamide 30% 37.5:1

	(Contd. of page 9)
H332 Harmful if inhaled.	
H340 May cause genetic defects.	
H350 May cause cancer.	
H361f Suspected of damaging fertility.	
H372 Causes damage to organs through prolonged or repeated exposure.	
· Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concern	ing the International
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
SVHC: Substances of Very High Concern	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 3: Acute toxicity – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1	
Muta. 1B: Germ cell mutagenicity – Category 1B	
Carc. 1B: Carcinogenicity – Category 1B	
Repr. 2: Reproductive toxicity – Category 2	
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1	
	GB