

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 25.11.2012

Revision: 25.11.2012

### 1 Identification of the substance/mixture and of the company/undertaking

· **Product identifier**

· **Trade name:** EDTA solution pH8.0(200mM/EDTA)

· **Article number:** 20-5300-10

· **Registration number** EDTA: 01-2119486762-27

· **Relevant identified uses of the substance or mixture and uses advised against**

Intermediate; production of chelates; chelating agent; use of chelates in building and construction; manufacture of H4EDTA ; use of chelates in spraying formulations; in Adhesives and Sealants; Use of H4EDTA in Air Care products; Use of H4EDTA in Biocidal products; Use of H4EDTA in Coatings, paints, thinners, paint removers and fillers, putties, plasters, modelling clay; Use of H4EDTA in Metal surface treatment products; use of H4EDTA in Non-metal surface treatment products; use of H4EDTA in Photo-chemicals; Use of H4EDTA in Polishes and wax blends; Use of H4EDTA in Textile dyes, finishing and impregnating products; Use of H4EDTA in Washing and cleaning products; Use of chelates in consumer products.

· **Sector of Use**

SU0 Other

SU1 Agriculture, forestry, fishery

SU2a Mining, (without offshore industries)

SU2b Offshore industries

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU4 Manufacture of food products

SU5 Manufacture of textiles, leather, fur

SU6a Manufacture of wood and wood products

SU6b Manufacture of pulp, paper and paper products

SU7 Printing and reproduction of recorded media

SU8 Manufacture of bulk, large scale chemicals (including petroleum products)

SU9 Manufacture of fine chemicals

SU10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys)

SU11 Manufacture of rubber products

SU12 Manufacture of plastics products, including compounding and conversion

SU13 Manufacture of other non-metallic mineral products, e.g. plasters, cement

SU14 Manufacture of basic metals, including alloys

SU15 Manufacture of fabricated metal products, except machinery and equipment

SU16 Manufacture of computer, electronic and optical products, electrical equipment

SU17 General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment

SU18 Manufacture of furniture

SU19 Building and construction work

SU20 Health services

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU23 Electricity, steam, gas water supply and sewage treatment

SU24 Scientific research and development

· **Product category**

PC0 Other

PC1 Adhesives, sealants

PC2 Adsorbents

PC3 Air care products

PC4 Anti-Freeze and de-icing products

PC7 Base metals and alloys

PC8 Biocidal products (e.g. Disinfectants, pest control)

PC9a Coatings and paints, thinners, paint removers

PC9b Fillers, putties, plasters, modelling clay

PC9c Finger paints

PC10: Building and construction preparations

PC11 Explosives

PC12 Fertilizers

PC13 Fuels

PC14 Metal surface treatment products, including galvanic and electroplating products

PC15 Non-metal-surface treatment products

(Contd. on page 2)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 25.11.2012

Revision: 25.11.2012

**Trade name: EDTA solution pH8.0(200mM/EDTA)**

(Contd. of page 1)

- PC16 Heat transfer fluids
- PC17 Hydraulic fluids
- PC18 Ink and toners
- PC19 Intermediate
- PC20 Products such as ph-regulators, flocculants, precipitants, neutralization agents
- PC21 Laboratory chemicals
- PC23 Leather tanning, dye, finishing, impregnation and care products
- PC24 Lubricants, greases, release products
- PC25 Metal working fluids
- PC26 Paper and board dye, finishing and impregnation products: including bleaches and other processing aids
- PC27 Plant protection products
- PC28 Perfumes, fragrances
- PC29 Pharmaceuticals
- PC30 Photo-chemicals
- PC31 Polishes and wax blends
- PC32 Polymer preparations and compounds
- PC33 Semiconductors
- PC34 Textile dyes, finishing and impregnating products; including bleaches and other processing aids
- PC35 Washing and cleaning products (including solvent based products)
- PC36 Water softeners
- PC37 Water treatment chemicals
- PC38 Welding and soldering products (with flux coatings or flux cores.), flux products
- PC39 Cosmetics, personal care products
- PC40 Extraction agents

· **Process category**

- PROC1 Use in closed process, no likelihood of exposure
- PROC2 Use in closed, continuous process with occasional controlled exposure
- PROC3 Use in closed batch process (synthesis or formulation)
- PROC4 Use in batch and other process (synthesis) where opportunity for exposure arises
- PROC5 Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact)
- PROC6 Calendering operations
- PROC7 Industrial spraying
- PROC8a Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
- PROC8b Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
- PROC9 Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
- PROC10 Roller application or brushing
- PROC11 Non industrial spraying
- PROC12 Use of blowing agents in manufacture of foam
- PROC13 Treatment of articles by dipping and pouring
- PROC14 Production of preparations or articles by tableting, compression, extrusion, pelletisation
- PROC15 Use as laboratory reagent
- PROC17 Lubrication at high energy conditions and in partly open process
- PROC18 Greasing at high energy conditions
- PROC19 Hand-mixing with intimate contact and only PPE available
- PROC21 Low energy manipulation of substances bound in materials and/or articles
- PROC22 Potentially closed processing operations with minerals/metals at elevated temperature - Industrial setting
- PROC23 Open processing and transfer operations with minerals/metals at elevated temperature
- PROC24 High (mechanical) energy work-up of substances bound in materials and/or articles

· **Environmental release category**

- ERC1 Manufacture of substances

(Contd. on page 3)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 25.11.2012

Revision: 25.11.2012

**Trade name: EDTA solution pH8.0(200mM/EDTA)**

(Contd. of page 2)

- ERC2 Formulation of preparations
- ERC3 Formulation in materials
- ERC4 Industrial use of processing aids in processes and products, not becoming part of articles
- ERC5 Industrial use resulting in inclusion into or onto a matrix
- ERC6a Industrial use resulting in manufacture of another substance (use of intermediates)
- ERC6b Industrial use of reactive processing aids
- ERC6c Industrial use of monomers for manufacture of thermo-plastics
- ERC6d Industrial use of process regulators for polymerisation processes in production of resins, rubbers, polymers
- ERC7 Industrial use of substances in closed systems
- ERC8a Wide dispersive indoor use of processing aids in open systems
- ERC8b Wide dispersive indoor use of reactive substances in open systems
- ERC8c Wide dispersive indoor use resulting in inclusion into or onto a matrix
- ERC8d Wide dispersive outdoor use of processing aids in open systems
- ERC8e Wide dispersive outdoor use of reactive substances in open systems
- ERC8f Wide dispersive outdoor use resulting in inclusion into or onto a matrix
- ERC9a Wide dispersive indoor use of substances in closed systems
- ERC9b Wide dispersive outdoor use of substances in closed systems
- ERC10a Wide dispersive outdoor use of long-life articles and materials with low release
- ERC10b Wide dispersive outdoor use of long-life articles and materials with high or intended release (including abrasive processing)
- ERC11a Wide dispersive indoor use of long-life articles and materials with low release
- ERC11b Wide dispersive indoor use of long-life articles and materials with high or intended release (including abrasive processing)
- ERC12a Industrial processing of articles with abrasive techniques (low release)
- ERC12b Industrial processing of articles with abrasive techniques (high release)

· **Article category**

- AC0 Other
- AC4 Stone, plaster, cement, glass and ceramic articles

· **Application of the substance / the preparation**

EDTA is used as a chelating agent and is widely used to sequester di- and trivalent metal ions.

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Severn Biotech Ltd.  
 Unit 2,  
 Park Lane,  
 Kidderminster,  
 Worcestershire.  
 DY11 6TJ  
 UK  
 Tel: 0044 1562 825286  
 Fax: 0044 1562 825284  
 email: info@severnbiotech.com

· **Further information obtainable from:** Product safety department.

· **Emergency telephone number:** Tel: 0044 1562 825286 (not 24 hours)

## 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
 The product is not classified according to the CLP regulation.

· **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Not applicable.

(Contd. on page 4)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 25.11.2012

Revision: 25.11.2012

**Trade name: EDTA solution pH8.0(200mM/EDTA)**



(Contd. of page 3)

- **Information concerning particular hazards for human and environment:**  
The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
  - **Classification system:**  
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
- 
- **Label elements**
  - **Labelling according to Regulation (EC) No 1272/2008** Void
  - **Hazard pictograms** Void
  - **Signal word** Void
  - **Hazard statements**  
Safety data sheet available on request.
  - **Other hazards**
  - **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**  
60-00-4 Edetic acid
- **Identification number(s)**
- **EC number:** 200-449-4
- **Index number:** 607-429-00-8
- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 60-00-4	EDTA acid	 Xi R36	2.5-10%
EINECS: 200-449-4		 Eye Irrit. 2, H319	

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately rinse with water.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Check for and remove any contact lenses.  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Call a doctor immediately.
- **Information for doctor:** Treat symptomatically and supportively.
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

GB

(Contd. on page 5)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 25.11.2012

Revision: 25.11.2012

**Trade name: EDTA solution pH8.0(200mM/EDTA)**

(Contd. of page 4)

#### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
Fire-extinguishing powder  
Foam
- **For safety reasons unsuitable extinguishing agents:** Carbon dioxide
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.  
Do not inhale explosion gases or combustion gases.

#### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation
- **Environmental precautions:**  
Do not allow to penetrate the ground/soil.  
Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

#### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Prevent formation of aerosols.  
Ensure good ventilation/exhaustion at the workplace.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.
- **Information about storage in one common storage facility:**  
Store away from oxidizing agents.  
Store away from metals.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.  
Protect from frost.
- **Specific end use(s)** No further relevant information available.

#### 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 6)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 25.11.2012

Revision: 25.11.2012

**Trade name: EDTA solution pH8.0(200mM/EDTA)**

(Contd. of page 5)

- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs**

**WORKERS**

Acute / short-term exposure - systemic effects

Inhalation DN(M)EL

- DNEL (Derived No Effect Level): 2.5 mg/m<sup>3</sup>

Acute / short-term exposure - local effects

Inhalation DN(M)EL

- DNEL (Derived No Effect Level): 2.5 mg/m<sup>3</sup>

**GENERAL POPULATION**

Acute / short-term exposure - systemic effects

Inhalation DN(M)EL

- DNEL (Derived No Effect Level): 1.5 mg/m<sup>3</sup>

Acute / short-term exposure - local effects

Inhalation DN(M)EL

- DNEL (Derived No Effect Level): 1.5 mg/m<sup>3</sup>

Long-term exposure - systemic effects

Oral DN(M)EL

- DNEL (Derived No Effect Level): 25 mg/kg bw/day

- **PNECs**

PNEC aqua (freshwater): 2.2 mg/L

PNEC aqua (marine water): 0.22 mg/L

PNEC aqua (intermittent releases): 1.2 mg/L

PNEC STP: 43 mg/L

PNEC soil: 0.72 mg/kg soil dw

- **Additional information:** The lists valid during the making were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

Select PPE appropriate for the operations taking place taking into account the product properties.

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

Do not eat, drink, smoke or sniff while working.

Do not inhale gases / fumes / aerosols.

- **Respiratory protection:** Not required.

- **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Chemical resistant protective gloves (EN 374)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinylchloride (0.7 mm) and other

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g.

(Contd. on page 7)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 25.11.2012

Revision: 25.11.2012

**Trade name: EDTA solution pH8.0(200mM/EDTA)**

(Contd. of page 6)

temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

- **Body protection:** Protective work clothing

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

· <b>Form:</b>	Fluid
· <b>Colour:</b>	Clear
· <b>Odour:</b>	Mild
· <b>Odour threshold:</b>	Not determined.

· <b>pH-value at 20 °C:</b>	8
-----------------------------	---

- **Change in condition**

· <b>Melting point/Melting range:</b>	Undetermined.
· <b>Boiling point/Boiling range:</b>	approx. 100 °C

· <b>Flash point:</b>	Not applicable.
-----------------------	-----------------

· <b>Flammability (solid, gaseous):</b>	Not applicable.
---	-----------------

- **Ignition temperature:**

· <b>Decomposition temperature:</b>	Not determined.
-------------------------------------	-----------------

· <b>Self-igniting:</b>	Product is not selfigniting.
-------------------------	------------------------------

· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
-------------------------------	---

- **Explosion limits:**

· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.

· <b>Vapour pressure at 20 °C:</b>	23 hPa
------------------------------------	--------

· <b>Density at 20 °C:</b>	0.99 g/cm <sup>3</sup>
----------------------------	------------------------

· <b>Relative density</b>	Not determined.
---------------------------	-----------------

· <b>Vapour density</b>	Not determined.
-------------------------	-----------------

· <b>Evaporation rate</b>	Not determined.
---------------------------	-----------------

- **Solubility in / Miscibility with water:**

Fully miscible.

· <b>Partition coefficient (n-octanol/water) at 25 °C:</b>	-3.86 log POW
--	---------------

(Contd. on page 8)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 25.11.2012

Revision: 25.11.2012

Trade name: EDTA solution pH8.0(200mM/EDTA)

(Contd. of page 7)

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>· <b>Viscosity:</b></li> <li style="padding-left: 20px;"><b>Dynamic:</b></li> <li style="padding-left: 20px;"><b>Kinematic:</b></li> <li>· <b>Other information</b></li> </ul> | <p>Not determined.</p> <p>Not determined.</p> <p>No further relevant information available.</p> |
|---|---|

### 10 Stability and reactivity

- **Possibility of hazardous reactions**  
Reacts with strong oxidants.  
Attacks some forms of metals and rubber.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**  
Strong oxidising agents.  
Strong bases.  
Finely powdered metals.
- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Nitrogen oxides (NOx)

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

<b>60-00-4 EDTA acid</b>		
Oral	LD50	4500 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
ROUTES OF EXPOSURE: The substance can be absorbed into the body by inhalation of the mist and by ingestion.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** biodegradable
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** Product is not expected to bioaccumulate.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 9)

GB



## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 25.11.2012

Revision: 25.11.2012

**Trade name: EDTA solution pH8.0(200mM/EDTA)**

(Contd. of page 8)

- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.  
Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.
- **European waste catalogue**  
Waste key numbers in accordance with the European Waste catalogue (EWC) are origin-referred defined. Since this product is used in several industries, no waste key can be provided by the supplier. The waste key number should be determined in arrangement with your waste disposal partner or the responsible authority.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

· <b>UN-Number</b> · <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>UN proper shipping name</b> · <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>Transport hazard class(es)</b> · <b>ADR, ADN, IMDG, IATA</b> · <b>Class</b>	Void
· <b>Packing group</b> · <b>ADR, IMDG, IATA</b>	Void
· <b>Environmental hazards:</b> · <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>UN "Model Regulation":</b>	-

### 15 Regulatory information

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 10)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 25.11.2012

Revision: 25.11.2012

**Trade name: EDTA solution pH8.0(200mM/EDTA)**

(Contd. of page 9)

· **Relevant phrases**

H319 Causes serious eye irritation.

R36 Irritating to eyes.

· **Department issuing MSDS:** Product safety department.

GB